

# INDEX MAPS.

## T. 3N, R. 6E. 2<sup>nd</sup> Mer.

	354-356	354-356	354-356	355-356	355	355						
358	6	378	5	381	4	381	3	380	2	380	1	353
	377		378		378		379		379		379	
358	7	377	8	377	9	376	10	376	11	376	12	353
	373		374		374		374		375		375	
358	18	373	17	372	16	372	15	372	14	371	13	353
	369		369		370		370		370		371	
357	19	369	20	368	21	368	22	368	23	367	24	352
	365		365		366		366		367		367	
357	30	364	29	364	28	363	27	362	26	360	25	352
	363		364		362		361		360		359	
357	31	363	32	362	33	361	34	360	35	359	36	351
	349-351		349-351		349-351		349-350		349-350		350	

## T. 4N, R. 6E. 2<sup>nd</sup> Mer.

	390-392	390-392	390-392	390-391	391	391	391	391	391	391	391	391
394	6	413	5	417	4	416	3	416	2	416	1	389
	413		414		414		415		415		415	
394	7	413	8	412	9	412	10	411	11	411	12	389
	409		409		409		410		410		411	
393	18	408	17	408	16	408	15	407	14	407	13	388
	405		405		405		406		406		407	
393	19	404	20	404	21	404	22	403	23	403	24	388
	401		401		401		402		402		403	
393	30	400	29	399	28	398	27	397	26	396	25	388
	400		399		398		397		396		395	
392	31	399	32	398	33	396	34	395	35	395	36	387
	385-387		385-387		385-386		385-386		385-386		386	

The figures on the lines refer to the page.

Township N. 4. North, Range N. 6. East T. Mer. Ind.

Township Series.

South Boundary. Random Line.

East on the S. Boundary of Sec. 31

30.00 a Pond leading N & S

40.00 set temp. g. sec. port

45.00 same Pond course N & S. Both ends of the  
Pond towards the North

65.00 a Brook 150 lbs. wide course N

80.00 set a temp. port for cor. of sec. 31 & 32

This mile over level Beech timbered land

---

East on the S. Boundary of Sec. 32

40.00 set temp. g. sec. port

80.00 set a temp. port for cor. of sec. 32 & 33

Land of the same quality as last noted

---

East on the S. Boundary of Sec. 33

40.00 set temp. g. sec. port

72.50 a Brook 150 lbs. wide course S W

80.00 set a temp. port for cor. of sec. 33 & 34

Land of the same quality as last noted

---

East on the S. Boundary of Sec. 34

4.00 a Brook 150 lbs. wide course N W

13.50 same s course S

40.00 set temp. g. sec. port

80.00 set a temp. port for cor. of sec. 34 & 35

Land the same as last noted

---

East on the S. Boundary of Sec. 35

40.00 set temp. g. sec. port

80.00 set a temp. port for cor. of sec. 35 & 36

Land the same as last noted.

## T. 4 N., R. 6 E. 2. Mer. Ind. a

East on the S. Boundary of Sec. 36

40.00 set temp. g. sec. post

75.50 Intersect E. Boundary 30th. S. of Town. cor.  
Good level Beech timbered land.

## Corrected Line.

West on the S. Boundary of Sec. 36

40.00 set g. sec. post from which

a Beech 20 in. diameter S 2 E 8 1/2 Ms. dist. 8

a Do 10 " " " N 2 7/10 " "

80.00 set post cor. of sec. 35 &amp; 36 from which

a Sugar 10 in. diameter N 41 E 24 Ms. dist. 8

a Do 7 " " " N 74 7/10 33 " "

West on the S. Boundary of Sec. 35

40.00 set g. sec. post from which

a Beech 10 in. diameter S 74 E 15 Ms. dist. 8

a W. Oak 20 " " " N 8 7/10 " "

80.00 set post cor. of sec. 34 &amp; 35 from which

a W. Oak 10 in. diameter N 45 E 10 Ms. dist. 8

a Beech 15 " " " S 83 7/10 22 " "

West on the S. Boundary of Sec. 34

40.00 set g. sec. post from which

a Beech 20 in. diameter N 74 E 22 Ms. dist. 8

a Do 15 " " " N 78 7/10 1/2 " "

80.00 set post cor. of sec. 33 &amp; 34 from which

a Beech 40 in. diameter S 74 E 17 Ms. dist. 8

a Sugar 18 " " " N 78 7/10 12 " "

West on the S. Boundary of Sec. 33

40.00 set g. sec. post from which

a W. Ash 5 in. diameter N 29 E 3 1/2 Ms. dist. 8

## T. H. N., R. O. E. 2. Mer. Ind. a

an Elm 10 in. diameter S40°W25½ lbs. dist.  
 80.00 set post cor. of sec. 32 & 33 from which  
 a Beech 10 in. diameter S20°W30 lbs. dist. 8  
 a Spr 10 " " " N29°W25 " "

## West on the S. Boundary of Sec. 32

40.00 set of sec. post from which  
 a Beech 20 in. diameter S33°E21 lbs. dist. 8  
 a Spr 8 " " " N33°W13 " "  
 80.00 set post cor. of sec. 31 & 32 from which  
 a Beech 20 in. diameter S66°E18 lbs. dist. 8  
 a Spr 10 " " " N23°W15 " "

## West on the S. Boundary of Sec. 31

40.00 set of sec. post from which  
 a Sweet Gum 29 in. diameter N35°E14 lbs. dist. 8  
 a Maple 20 " " " S20°E17 " "  
 75.50 to Township corner. October 10. 1806  
 Arthur Hennie  
 Dep. Surveyor

## East Boundary. Var. 5°56' E

## North on the E. Boundary of Sec. 36

10.00 a Brook 15 lbs. wide course W  
 13.00 a Gum 30 in. dia.  
 40.00 set of sec. post from which  
 a Beech 20 in. diameter N57°W25 lbs. dist. 8  
 a W. Oak 6 " " " S40°E12 " "  
 62.00 a Brook 3 lbs. wide course SE  
 76.00 a W. Oak 40 in. dia.  
 80.00 set post cor. of sec. 25 & 36 from which  
 a Gum 24 in. diameter N70°E26 lbs. dist. 8  
 a Beech 24 " " " S73°W32 " "



## T. H. N., R. O. E. I. Mer. Ind. a

First  $\frac{1}{2}$  mile good level land, timber Sugar &  
 2  $\frac{1}{2}$  mile low flat land, rich, timber Beech, Elm &

## North on the E. Boundary of Sec. 25

20.00 a Brook 3  $\frac{1}{2}$  m. wide course SW

37.25 a W. Oak 12 in. dia.

40.00 set of sec. part from which

a Gum 24 in. dia. bears S 82° W 25  $\frac{1}{2}$  m. dist. &

a Beech 18 " " " N 49° E 37 " "

Level rich land, timber Beech, Ash, Oak &

51.00 a Brook 4  $\frac{1}{2}$  m. wide course W

79.20 a Poplar 45 in. dia.

80.00 a Gum 36 " " stands for cor. of sec. 24 & 25  
 from which a Hickory 15 in. dia. bears S 45° E 20  $\frac{1}{2}$  m. dist. &

a Beech 16 " " " N 18° E 48

Level rich land, timber Beech, Poplar, Ash &

## North on the E. Boundary of Sec. 24

15.00 a Brook 3  $\frac{1}{2}$  m. wide course W

28.00 a Beech 14 in. dia.

40.00 set of sec. part from which

a Beech 12 in. dia. bears N 22° W 17  $\frac{1}{2}$  m. dist. &

a Dr 12 " " " S 80° E 27 " "

Level Beech land

45.00 a Brook 3  $\frac{1}{2}$  m. wide course W

60.00 a R. Oak 36 in. dia.

61.00 enter Swamp

80.00 set part cor. of sec. 13 & 24 from which

a Gum 8 in. dia. bears S 64° E 19  $\frac{1}{2}$  m. dist. &

a Maple 10 " " " S 56° W 13 " "

Part Beech & part Swamp land

## North on the E. Boundary of Sec. 13

T. H. N., R. O. E. 2<sup>d</sup>. Mer. Ind.<sup>a</sup>

39.00 a Poplar 36 in. dia.

40.00 Set of sec. post from which

a Beech 12 in. dia. bears N 24° W 7 lbs. dist. 8

an Elm 14 " " " S 63° E 11 " "

Maple Swamp

72.00 a Creek 100 lbs. wide running N° W

80.00 Set post cor. of sec. 12 & 13 from which

a Beech 12 in. dia. bears N 87° E 19 lbs. dist. 8

an Ironw. 6 " " " N 78° W 23 " "

This line passes over pretty good bottom, cut to pieces with guts

North on the E. Boundary of Sec. 12

22<sup>d</sup>. day of August 1806

11.50 a Brook 10 lbs. wide course W

28.50 a Poplar 16 in. dia.

40.00 Set of sec. post from which

a Gum 12 in. dia. bears S 80° E 6 lbs. dist. 8

a W. Oak 18 " " " N 60° W 14 " "

Wet bottom land cut to pieces with guts

58.00 S. side of a Pond

64.00 N. " of Do

69.50 Main branch of White River course S° W. 300 M. W.

80.00 Set post cor. of Sec. 14 & 12 from which

a Beech 14 in. dia. bears N 43° E 17 lbs. dist. 8

a Do 12 " " " S 30° W 15 " "

Wet bottom land, timbered Beech, Elm

North on the E. Boundary of Sec. 1

10.00 a Brook 3 lbs. wide course E

32.00 a W. Oak 36 in. dia.

40.00 Set of sec. post from which

a Beech 20 in. dia. bears S 75° E 14 lbs. dist. 8

## T. 4 N., R. 6 E. S. Mer. Ind. a

a Beech 18 in. dia bears S 74° W 15 lbs. dist.

Level rich Beech & Poplar land

43.00 a Brook 3 lbs. wide course E

44.40 a Poplar 50 in. dia.

54.75 a Do 50 " "

80.00 Set post cor. of T. 4 & 5 N, R. 6 & 7 E. from which

a Beech 16 in. dia bears S 18° W 45 lbs. dist &

a Do 14 " " N 63° E 31 " "

Level land timbered with Beech, Poplar &

Surveyed in 1886 by Alexander Holmes

Dep. Surveyor

North Boundary. Random Line.

East on the S. Boundary of Sec. 31, T. 5 N, R. 6 E

40.00 Set temp. of sec. post

80.00 Set a temp. post for cor. of sec. 31 & 32

Good farming land, timber Oak, Hickory & Beech

East on the S. Boundary of Sec. 32, T. 5 N, R. 6 E

16.00 a Brook 250 lbs. wide course S

40.00 Set temp. of sec. post

80.00 Set a temp. post for cor. of sec. 32 & 33

Land the same as last noted

East on the S. Boundary of Sec. 33, T. 5 N, R. 6 E

40.00 Set temp. of sec. post

80.00 Set a temp. post for cor. of sec. 33 & 34

Land flat, timber Beech

East on the S. Boundary of Sec. 34, T. 5 N, R. 6 E

40.00 Set temp. of sec. post

80.00 Set a temp. post for cor. of sec. 34 & 35

Good farming land

T. 4 N., R. 6 E. 2. Mo. Ind.<sup>a</sup>

East on the S. Boundary of Sec. 35, T 5 N, R 6 E

40.00 set temp. g. sec. port

80.00 set a temp. port for cor. of sec. 35 &amp; 36

Said the same as last noted

East on the S. Boundary of Sec. 36, T 5 N, R 6 E

40.00 set temp. g. sec. port

78.40 Intersect E. Boundary 90 Ms. N. of port -

Said the same as last noted.

## Connected Line.

West on the S. Boundary of Sec. 36, T 5 N, R 6 E

40.00 set g. sec. port from which

a Beech 10 in. diameter S 81 E 15 Ms. dist. 8

a Do 10 " " " S 87 W 14 1/2 " " "

80.00 set port cor. of sec. 35 &amp; 36 from which

a Beech 24 in. diameter N 57 E 27 Ms. dist. 8

a Do 20 " " " N 59 W 9 " " "

West on the S. Boundary of Sec. 35, T 5 N, R 6 E

40.00 set g. sec. port from which

a Beech 10 in. diameter S 89 W 12 Ms. dist. 8

a Do 6 " " " N 60 E 27 " " "

80.00 set port cor. of sec. 34 &amp; 35 from which

an Elm 10 in. diameter S 81 E 17 Ms. dist. 8

a Do 15 " " " S 35 W 38 " " "

West on the S. Boundary of Sec. 34, T 5 N, R 6 E

40.00 set g. sec. port from which

a Gum 20 in. diameter N 55 E 11 Ms. dist. 8

a W. Oak 29 " " " S 15 W 19 " " "

80.00 set port cor. of sec. 33 &amp; 34 from which

a Beech 10 in. diameter S 86 E 35 Ms. dist. 8

T. 4 N., R. 6 E. 2<sup>d</sup>. Mer. Ind.?

a Beech 10 in. diameter S 98 E 16 lbs. - dist.

West on the S. Boundary of Sec. 33, T. 5 N., R. 6 E

40.00 set g. sec. post from which

a Sweet Gum 5 in. diameter S 22 W 3 lbs. - dist. 18

an Elm 20 " " " N 41 W 22 " "

80.00 set post cn. of sec. 32 & 33 from which

a Beech 20 in. diameter N 14 E 27 lbs. - dist. 18

an Ironw. 6 " " " S 43 E 17 " "

West on the S. Boundary of Sec. 32, T. 5 N., R. 6 E

40.00 set g. sec. post from which

a Beech 20 in. diameter N 65 E 18 lbs. - dist. 18

a Do 10 " " " S 61 E 21 " "

64.00 a Brook 250 lbs. wide course S

80.00 set post cn. of sec. 31 & 32 from which

a Beech 10 in. diameter N 21 W 25 lbs. - dist. 18

a Do 10 " " " N 83 E 24 " "

West on the S. Boundary of Sec. 31, T. 5 N., R. 6 E

40.00 set g. sec. post from which

a Beech 10 in. diameter S 87 E 47 lbs. - dist. 18

a Do 40 " " " S 14 W 16 " "

78.40 to Township corner - October 12, 1806

Surveyed by Arthur Hennie

Dep. Surveyor

## West Boundary,

North on the E. Boundary of Sec. 36, T. 4 N., R. 5 E

21.20 a W. Ash 20 in. dia.

36.00 a Pond covered with Birch

40.00 set g. sec. post from which

a Maple 10 in. diameter N 89 W 22 lbs. - dist. 18



T. 4 N., R. 6 E., 2.<sup>d</sup> Mer. Ind.<sup>a</sup>

no other Bearing tree

75.00 N. side of the Pond

80.00 Set post cor. of Sec. 25 & 30 from which  
 a Maple 10 in. dia. bears N 47° W 22 1/2 m. dist. 8  
 an Elm 8 " " " N 32° E 25 " "  
 (Description of land &c. omitted)

North on the E. Boundary of Sec. 25, T. 4 N., R. 5 E

10.50 a Brook 150 m. wide course 4 N

21.50 a Beech 24 in. dia.

40.00 Set g. Sec. post from which  
 a Gum 15 in. dia. bears N 15° W 17 m. dist. 8  
 a Beech 20 " " " S 83° E 6 " "

54.00 a Brook 50 m. wide course 5 W

50.00 a Poplar 48 in. dia.

80.00 Set post cor. of Sec. 24 & 25 from which  
 a W. Oak 40 in. dia. bears N 58° E 29 m. dist. 8  
 a Do 48 " " " N 78° W 38 " "  
 Level Beech timbered land

North on the E. Boundary of Sec. 24, T. 4 N., R. 5 E

40.00 Set g. Sec. post from which  
 a Sweet Gum 8 in. dia. bears S 41° E 34 m. dist. 8  
 an Elm 20 " " " N 81° W 17 " "

66.00 a Do 15 " "

80.00 Set post cor. of Sec. 13 & 24 from which  
 an Elm 8 in. dia. bears S 8° E 8 m. dist. 8  
 a Gum 4 " " " N 45° E 17 " "  
 Land the same quality as last noted

North on the E. Boundary of Sec. 13, T. 4 N., R. 5 E

26.80 a Beech 20 in. dia.

40.00 Set g. Sec. post from which

T. 4 N., R. 6 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

- a — 20 in. dia. clear S 47 E 6 lbs. dist. 8  
 a Dogwood 6 " " " N 60 W 5 " "  
 70.50 a Brook 10 lbs. wide course E  
 80.00 set post cor. of sec. 12 & 13 from which  
 a Beech 30 in. dia. clear S 33 E 35 lbs. dist. 8  
 a Dr 20 " " " S 68 W 40 " "  
 This mile over level Beech, Oak & Hickory  
 land

## North on the E. Boundary of Sec. 12, T. 4 N., R. 5 E

- 0.60 a — 20 in. dia.  
 16.17 a Poplar 40 " "  
 40.00 set of sec. post from which  
 a Beech 6 in. dia. clear S 22 W 50 lbs. dist. 8  
 a Dr 24 " " " N 20 E 20 " "  
 80.00 set post cor. of sec. 12 & 13 from which  
 a Beech 6 in. dia. clear S 38 E 4 lbs. dist. 8  
 a Dr 20 " " " N 19 E 20 " "  
 Land the same as last noted

## North on the E. Boundary of Sec. 1, T. 4 N., R. 5 E

- 40.00 set of sec. post from which  
 a W. Ark 10 in. dia. clear N 75 W 13 lbs. dist. 8  
 a Dr 6 " " " S 20 W 4 " "  
 80.00 set post cor. of T. 4 & 5 N., R. 5 & 6 E. from which  
 a Beech 20 in. dia. clear S 36 W 6 lbs. dist. 8  
 a Dr 20 " " " S 36 E 16 " "  
 Land the same as last noted  
 Surveyed in 1806 by  
 Arthur Menrie  
 Dep. Surveyor.

Subdivision.

## T. H. N., R. C. O. L. Mer. Ind.?

North between Sec. 35 &amp; 36, T. H. N., R. C. O.

10.50 a Beech 14 in. - dir. -

40.00 lot of sec. port from which

a Beech 14 in. - dir. - bears N 21 E 24 lbs. - dirt - 8

an Elm 13 " " " S 30 W 4 " "

42.00 a Branch 4 lbs. wide course W

52.12 a Do 6 " " " W

64.00 a Do 6 " " " W

80.00 lot port cor. of sec. 25, 26, 35 &amp; 36 from which

a Beech 20 in. - dir. - bears S 68 W 28 lbs. - dirt - 8

a Do 18 " " " N 27 W 17 " "

Level, Beech, Poplar, Gum, Oak, Ash &amp; Hickory

East on Random between Sec. 25 &amp; 36

40.00 lot temp. of sec. port

70.65 a Branch 8 lbs. wide course S

79.06 Intersect E. Boundary 75 lbs. S. of port -

Level, Beech, Poplar, Gum &amp; Oak

West Connected between Sec. 25 &amp; 36

39.50 lot of sec. port at aver. dir. from which

a Beech 23 in. - dir. - bears S 88 W 27 lbs. - dirt - 8

a Poplar 10 " " " S 20 W 11 " "

79.06 to sec. cor.

North between Sec. 34 &amp; 35

20.00 Pond 250 lbs. West

40.00 lot of sec. port from which

a Beech 24 in. - dir. - bears N 52 W 20 lbs. - dirt - 8

a Do 21 " " " N 56 E 14 " "

48.04 a Poplar 22 " "

65.50 Pond 200 lbs. West

80.00 lot port cor. of sec. 26, 27, 34 &amp; 35 from which

T. H. N., R. C. E. I. Mer. Ind.<sup>a</sup>

a Gum 21 in. dia. bears S18E 27 lbs. dist. 8  
 a Beech 12 " " " S78½W 49 " "  
 Level, Beech, Oak, Gum & Poplar

---

## East on Random between Sec. 26 &amp; 35

40.00 set temp. g. sec. point

80.00 Intersect N & S line at point -

Level, part wet, Beech, Oak, Gum, Maple,  
 Elm & Poplar

---

## West blazed between Sec. 26 &amp; 35

40.00 set g. sec. point at aver. dist. from which

a Beech 12 in. dia. bears N69W 11 lbs. dist. 8

a Do 10 " " " S99W 24 " "

80.00 to sec. corner

---

## North between Sec. 25 &amp; 26

25.50 a R. Oak 32 in. dia.

40.00 set g. sec. point from which

a Beech 30 in. dia. bears S16E 12 lbs. dist. 8

a Do 7 " " " N26W 4 " "

41.00 a Branch 4 lbs. wide corner W

63.88 a Beech 24 in. dia.

80.00 set point cor. of Sec. 23, 24, 25 & 26 from which

a Beech 12 in. dia. bears N40E 33 lbs. dist. 8

a Do 8 " " " West 20 " "

Level, Beech, Poplar, Gum, Hickory & Oak

---

## North between Sec. 33 &amp; 34

1.00 Muddy fork 200 lbs. wide corner N30W

18.12 a Beech 22 in. dia.

40.00 set g. sec. point from which

a Beech 20 in. dia. bears N32W 21 lbs. dist. 8

## T. H. N., R. O. E. I. Mer. Ind.?

- a Beech 16 in. dia. bears S 68 E 36 lbs. dist.  
 55.62 a Do 20 " "  
 80.00 set port cor. of sec. 27, 28, 33 & 34 from which  
 a Honey Locust 13 in. dia. bears N 12 E 10 lbs. dist. &  
 a Gum 16 " " " S 81 W 20 " "  
 Bottom, part wet, Beech, Oak, Hickory, Walnut  
 & Ash
- 

## East on Random between Sec. 27 &amp; 34

- 4.00 a Branch 15 lbs. wide course S 50 W  
 29.50 a Swamp 50 S  
 40.00 set temp. q. sec. port  
 56.50 Muddy fork 200 lbs. wide course S 20 W  
 See bottom, Beech, Oak, Maple, Elm & Hickory
- 

## West corrected between Sec. 27 &amp; 34

- 40.20 set q. sec. port at aver. dist. from which  
 a Beech 10 in. dia. bears S 27 W 7 lbs. dist. &  
 a Do 18 " " " N 26 W 25 " "  
 --- to sec. cor.
- 

## North between Sec. 26 &amp; 27

- 8.00 Muddy fork 200 lbs. wide & up it leaving on  
 the E. 25.00 course S 40 W  
 40.00 set q. sec. port from which  
 a Beech 12 in. dia. bears East 14 lbs. dist. &  
 a Gum 12 " " " S 61 1/2 W 24 " "  
 61.51 a Beech 16 " "  
 64.00 a Branch 20 lbs. wide course S 40 W  
 80.00 set port cor. of sec. 22, 23, 26 & 27 from which  
 a Beech 12 in. dia. bears N 12 E 14 lbs. dist. &  
 a Do 23 " " " S 84 E 38 " "  
 Level, Beech, Oak, Poplar & Gum
-



T.H.N., R. O. E. I. Mer. Ind.<sup>a</sup>

Friday November 7. 1806

## North between Sec. 32 &amp; 33

- 1.25 a Drain 3<sup>1</sup>/<sub>2</sub> m. wide course W  
 40.00 let g. sec. port from which  
     a Beech 12 in. diameter S 12 W 15 m. dirt &  
     an Elm 8 " " " N 58 E 24 " "  
 59.00 a Branch 10 m. wide course W  
 80.00 let port cor. of sec. 28, 29, 32 & 33 from which  
     a Beech 32 in. diameter N 13 E 8 m. dirt &  
     a Do 12 " " " - 35 E 17 " "  
 Level, Beech, Oak, Elm, Maple & Poplar

## East on Random between Sec. 28 &amp; 33

- 40.00 let temp. g. sec. port  
 68.00 a Branch 10 m. wide course N 50 E  
 79.00 Intersect N & S line at port -  
 Level, Beech, Poplar, Ash & Oak

## West blazed between Sec. 28 &amp; 33

- 39.50 let g. sec. port at aver. dirt. from which  
     a Beech 12 in. diameter N 56 W 20 m. dirt &  
     a Do 13 " " " S 41 E 35 " "  
 79.00 to sec. cor.

## North between Sec. 27 &amp; 28

- 40.00 let g. sec. port from which  
     a R. Oak 6 in. diameter N 14 E 8 m. dirt &  
     a Do - " " " S 74 E 17 " "  
 50.00 a Maple 30 " "  
 80.00 let port cor. of sec. 27, 28, 27 & 28 from which  
     a Beech 16 in. diameter N 68 E 7 m. dirt &  
     a Do 10 " " " S 47 W 14 " "

T. H. N., R. C. E. 2<sup>d</sup>. Mer. Ind.<sup>a</sup>

Low wet Bottom & brushy Oak, Beech, Gum, Ash,  
& Maple

## North between Sec. 31 &amp; 32

4.21 a W. Oak 24 in. dia.

10.00 N. side of Bottom

40.00 Set of sec. post from which

a Beech 12 in. dia. bears N 45° W 14 lbs. dist. 8

a Do 10 " " " S 43° W 10 " "

49.25 a Branch 3 lbs. wide course W

51.75 a Beech 22 in. dia.

80.00 Set post cor. of Sec. 29, 30, 31 & 32 from which

a Beech 22 in. dia. bears N 24° E 15 lbs. dist. 8

a Do 16 " " " S 17° E 30 " "

Level, Beech, Poplar, Ash & Oak - Good Plough land.

## East on Random between Sec. 29 &amp; 32

9.50 a Branch 6 lbs. wide course S 70° W

35.50 a Do 6 " " " N 40° W

40.00 Set temp. of sec. post

80.00 Intersect N & S line at post -

Level, Beech, Poplar, Ash, Oak & Hickory

## West blazed between Sec. 29 &amp; 32

40.00 Set of sec. post at aver. dist. from which

a Ash 18 in. dia. bears N 51° E 15 lbs. dist. 8

a Do 14 " " " S 32° E 16 " "

80.00 to Sec. cor.

## North between Sec. 28 &amp; 29

7.25 a Beech 18 in. dia.

40.00 Set of sec. post from which

a Gum 18 in. dia. bears S 31° W 26 lbs. dist. 8

## T. H. N., R. C. E. I. Mer. Ind. a

a W. Oak 33 in. diameter N 12 E 13 lbs. dist.  
 60.88 a Do 36 " "  
 80.00 set port cor. of sec. 20, 21, 28 & 29 from which  
 a Gum 22 in. diameter S 15 E 17 lbs. dist. &  
 a Beech 24 " " " S 42 W 38 " "  
 Beech, Oak & Poplar. Saturday November 8. 1806

---

## West between Sec. 30 &amp; 31

37.50 a Creek 200 lbs. wide course N  
 40.00 set q. sec. port from which  
 a Beech 6 in. diameter S 16 W 10 lbs. dist. &  
 a hoopwood 8 " " " N 5 E 10 " "  
 69.00 a R. Oak 36 " "  
 70.16 Intersect W. Boundary - W. N. of port -  
 set port at intersection cor. of sec. 30 & 31 from which  
 an Elm 7 in. diameter S 85 E 11 lbs. dist. &  
 a W. Oak 24 " " " S 51 E 33 " "  
 Level part wet, Beech, Gum, Ash, Maple,  
 Poplar & Oak. The first 12.00 Cts. Upland, good  
 for the Plough

---

## North between Sec. 29 &amp; 30

34.25 a Beech 16 in. dia.  
 40.00 set q. sec. port from which  
 a Beech 10 in. diameter S 71 E 6 lbs. dist. &  
 a Do 12 " " " S 26 W 14 " "  
 45.00 wet Bottom to the port  
 80.00 set port cor. of sec. 19, 20, 29 & 30 from which  
 a Maple 10 in. diameter N 80 E 10 lbs. dist. &  
 a Birch 20 " " " S 19 E 11 " "  
 The Upland Beech, Poplar & Oak; the Bottom  
 Maple, Ash, Gum & Birch

---

T. H. N., R. O. E. 2<sup>d</sup>. Mer. Ind.<sup>a</sup>

West between Sec. 19 &amp; 30

33.00 a Creek 200 lbs. wide course S60E

36.50 same s course N60E

40.00 set of sec. port from which

a Hickory 20 in. dia bears N16E 20 lbs. dist. 2

a W. Beech 6 s s s S85E 18 s s

42.00 a Creek 200 lbs. wide course S

51.50 same s course N60W

67.50 same s s S60W

71.86 Intersect W. Boundary 62 lbs. N. of port -

set port at intersection cr. of sec. 19 &amp; 30 from which

an Elm 9 in. dia bears S33E 19 lbs. dist. 2

a Maple 12 s s s N83E 34 s s

Bottom, Beech, Elm, Gum, Maple &amp; R. Oak

East on Random between Sec. 20 &amp; 29

16.50 to the Upland

40.00 set temp. of sec. port

51.00 a Branch 10 lbs. wide course N30W

66.00 a Dr 8 s s s S60W

79.62 Intersect N &amp; S. line 30 lbs. N. of port -

Beech, Oak, Ark &amp; Poplar in the Upland, &amp;

Maple, Elm &amp; Gum in the Bottom

West corrected between Sec. 20 &amp; 29

39.81 set of sec. port at aver. dist. from which

a Beech 22 in. dia bears N22E 5 lbs. dist. 2

an Ark 14 s s s S40E 24 s s

79.62 to sec. cr.

East on Random between Sec. 27 &amp; 28

40.00 set temp. of sec. port

79.60 Intersect N &amp; S. line 30 lbs. N. of port -

T. 4 N., R. 6 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

Level, Beech, Oak, Poplar, Gum &amp; Ash

West Connected between Sec. 21 &amp; 28

40.00 set g' sec. post at aver. dist. from which  
 a Beech 20 in. diam bears S 5 E 36<sup>th</sup>. dist. 8  
 a Poplar 20 " " " S 82 E 17 " "  
 - - - - to sec. cor.

East on Random between Sec. 22 &amp; 27

15.00 a Branch 20<sup>th</sup>. wide course S

40.00 set temp. g' sec. post

80.00 Intersect N &amp; S. line at post -

Level, Beech, Oak, Poplar &amp; Ash

West blazed between Sec. 22 &amp; 27

40.00 set g' sec. post at aver. dist. from which  
 a W. Oak 22 in. diam bears S 15 E 10<sup>th</sup>. dist. 8  
 a Do 23 " " " - 80 E 12 " "  
 80.00 to sec. cor.

East on Random between Sec. 23 &amp; 26

11.00 a Branch 20<sup>th</sup>. wide course S 30 E12.50 Muscagetuck 200<sup>th</sup>. wide course S 10 W

40.00 set temp. g' sec. post

80.50 Intersect N & S. line 20<sup>th</sup>. S. of post -

Level, Beech, Gum, Maple, Poplar &amp; Oak

West Connected between Sec. 23 &amp; 26

40.25 set g' sec. post at aver. dist. from which  
 a Maple 10 in. diam bears S 60 E 7<sup>th</sup>. dist. 8  
 a Gum 14 " " " N 55 W 5 " "  
 80.50 to sec. cor.



## T. H. N., R. C. E. I. Mer. Ind.?

East on Random between Sec. 24 &amp; 25

20.50 a Branch 6 M. wide course N 60° W

40.00 set temp. g' sec. port

69.12 a Branch 12 M. wide course N 25° W

79.48 Intersect E. Boundary 20 M. S. of port -  
Level, Beech, Gum, Poplar & Oak

West corrected between Sec. 24 &amp; 25

39.74 set g' sec. port at aver. dist. from which  
a Beech 24 in. diameter N 73° E 10 M. dist. 8  
a Do 25 " " " S 81° W 40 " "

79.48 to sec. cor. Sunday November 9, 1886

North between Sec. 23 &amp; 24

40.00 set g' sec. port from which  
a Gum 12 in. diameter S 4° E 21 M. dist. 8  
a Beech 12 " " " N 42° W 26 " "

60.00 Muscackituck 200 M. wide course S 70° W

80.00 set port cor. of sec. 13, 14, 23 & 24 from which  
an Elm 12 in. diameter N 68° E 10 M. dist. 8

a Sycamore 48 " " " N 58° W 15 " "

Level Bottom, Beech, Oak, Gum, Ash, Elm &amp; Walnut

North between Sec. 22 &amp; 23

18.75 a Poplar 20 in. dia.

40.00 set g' sec. port from which  
a Beech 20 in. diameter N 62° W 15 M. dist. 8  
a Gum 20 " " " S 10° W 25 " "

57.00 a W. Oak 30 " "

65.00 a Branch 10 M. wide course N 30° E

80.00 set port cor. of sec. 14, 15, 22 & 23 from which  
a Gum 24 in. diameter N 50° E 4 M. dist. 8  
a Maple 14 " " " S 84° W 36 " "

T. 4 N., R. 6 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

Level, Beech, Maple, Oak &amp; Ash

North between Sect. 21 &amp; 22

26.20 a Beech 16 in. dia.

40.00 set g. sec. post from which

a Beech 22 in. dia. bears S 38 E 5 lbs. dist. 8

a Do 12 " " " N 34 W 37 " "

43.00 a Branch 6 lbs. wide course E

51.65 a W. Oak 33 in. dia.

80.00 set post cor. of sec. 15, 16, 21 &amp; 22 from which

a Beech 12 in. dia. bears S 16 W 16 lbs. dist. 8

a Do 10 " " " N 74 E 17 " "

Level, Beech, Oak, Poplar &amp; Ash

North between Sect. 20 &amp; 21

4.25 a Branch 12 lbs. wide course W

19.00 a Gum 24 in. dia.

40.00 set g. sec. post from which

a Beech 8 in. dia. bears N 79 W 14 lbs. dist. 8

a Do 20 " " " N 66 E 7 " "

69.25 a Do 24 " "

80.00 set post cor. of sec. 16, 17, 20 &amp; 21 from which

a Beech 12 in. dia. bears S 36 W 36 lbs. dist. 8

an Ash 12 " " " N 15 W 25 " "

Level, Beech, Oak, Poplar &amp; Ash

North between Sect. 19 &amp; 20

37.28 an Elm 30 in. dia.

40.00 set g. sec. post from which

a Maple 16 in. dia. bears S 27 E 26 lbs. dist. 8

a Do 6 " " " N 46 E 9 " "

70.50 a Creek 200 lbs. wide course W.

78.75 same " course S 50 E

## T. H. N., R. C. O. F. Mer. Ind. A.

80.00 set port cor. of sec. 17, 18, 19 & 20 from which  
 a Sycamore 36 in. dis. bears N 27 E 17 Ms. dist. 18  
 a Dr 33 " " " S 45 E 34 " "  
 The port stands on the E. bank of the creek  
 Wet Bottom, Maple, Elm, Gum

---

## West between Sec. 18 &amp; 19

27.00 a Branch 10 Ms. wide course S  
 40.00 set q. sec. port from which  
 a Beech 22 in. dis. bears S 31 W 19 Ms. dist. 18  
 a Dr 16 " " " S 1 E 24 " "  
 51.12 a Dr 20 " "  
 73.00 Intersect W. Boundary 98 Ms. N. of port -  
 set port at intersection cor. of sec. 18 & 19 from which  
 a Beech 18 in. dis. bears S 39 E 38 Ms. dist. 8  
 a Dr 22 " " " N 72 E 44 " "  
 A little rising, Beech, Poplar & Oak

---

## East on Random between Sec. 17 &amp; 20

35.00 a Pond 75 N  
 40.00 temp. q. sec. port  
 79.40 Intersect N. S. line 20 Ms. N. of port -  
 Beech, Oak, Maple & Poplar

---

## West corrected between Sec. 17 &amp; 20

39.70 set q. sec. port at aver. dist. from which  
 a Beech 23 in. dis. bears S 86 W 28 Ms. dist. 8  
 a Sugar 10 " " " N 81 E 23 " "  
 79.40 to sec. cor.

---

## East on Random between Sec. 16 &amp; 21

18.50 a Branch 10 Ms. wide course N  
 40.00 set temp. q. sec. port

T. H. N., R. C. O. I. Mer. Ind.<sup>a</sup>

80.00 Intersect N &amp; S. line at the port -

Level, Beech, Oak, Poplar, Ash &amp; Gum

West blazed between Sec. 16 &amp; 21

40.00 set g. sec. port at aver. dist. from which

a Beech 16 in. dia. bears N 21 E 5 lbs. dist. 8

a Do 12 " " " N 82 W 23 " "

80.00 to sec. cor. Monday, November 10. 1806

East on Random between Sec. 15 &amp; 22

4.50 a Branch 6 lbs. wide course S

40.00 set temp. g. sec. port

79.76 Intersect N &amp; S. line 30 lbs. S. of port -

Level, Beech, Poplar, Gum, Ash &amp; Oak. Part wet

West Connected between Sec. 15 &amp; 22

39.83 set g. sec. port at aver. dist. from which

a Beech 9 in. dia. bears N 76 W 13 lbs. dist. 8

a Do 7 " " " N 51 E 6 " "

79.76 to sec. cor.

East on Random between Sec. 14 &amp; 23

2.50 a Branch 4 lbs. wide course S

0.50 a Do 6 " " " S

40.00 set temp. g. sec. port

72.00 a Bayou course N

80.50 Intersect N &amp; S. line at port -

Level, Beech, Poplar, Oak &amp; Gum

West blazed between Sec. 14 &amp; 23

40.25 set g. sec. port at aver. dist. from which

a Beech 14 in. dia. bears N 61 W 18 lbs. dist. 8

a Do 20 " " " N 40 E 34 " "

407

T. H. N., R. O. E. 2<sup>o</sup> Mer. Ind.<sup>a</sup>

80.50 to sec. cor.

---

East on Random between Sec. 13 & 24

6.50 a Creek 200 yds. wide course S 50° W

13.00 same, course N 60° W

36.50 same, " S 50° W

40.00 set temp. g. sec. post

80.50 Intersect E. Boundary 60 yds. S. of post

Level bottom, part wet & brushy, Beech, Gum,  
Poplar & Oak

---

West Connected between Sec. 13 & 24

40.25 set g. sec. post at aver. dist. from which

a Beech 12 in. dia. bears S 29° W 42 yds. dist. S

a W. Beech 7 " " " N 2 E 7 " "

80.50 to sec. cor.

---

North between Sec. 13 & 14

17.50 a Sycamore 48 in. dia.

20.00 35.00 through old Beaver Pond

40.00 set g. sec. post from which

a Maple 12 in. dia. bears S 63° E 43 yds. dist. S

a Do 12 " " " N 73° E 42 " "

g. sec. post in Pond

76.50 a Beech 16 " "

80.00 set post cor. of sec. 11, 12, 13 & 14 from which

a Beech 27 in. dia. bears N 46° E 25 yds. dist. S

a Do 8 " " " S 57° W 5 " "

Level, Beech, Oak, Gum & Poplar. Brush in  
the Pond

---

North between Sec. 14 & 15

12.00 an Elm 24 in. dia.

40.00 set g. sec. post from which



T. H. N., R. C. E. I. Mer. Ind.<sup>a</sup>

a Beech 14 in. dia. leans S 24 E 8 lbs. dist. 8  
 a W. Oak 10 " " " N 29 E 22 " "  
 55.62 a Do 22 " "  
 80.00 Set first cor. of sec. 10, 11, 14 & 15 from which  
 a Beech 7 in. dia. leans S 40 W 6 lbs. dist. 8  
 a Do 10 " " " N 42 E 8 " "  
 Level, Beech, Oak, Maple, Gum & Poplar

---

## North between Sec. 15 &amp; 16

28.20 a Beech 12 in. dia.  
 40.00 Set of sec. post from which  
 a Beech 7 in. dia. leans N 60 E 7 lbs. dist. 8  
 a Do 23 " " " N 53 W 13 " "  
 50.25 a Branch 6 lbs. wide curve W  
 53.00 a Beech 30 in. dia.  
 64.75 a Branch 15 lbs. wide curve W  
 80.00 Set first cor. of sec. 9, 10, 15 & 16 from which  
 a Beech 12 in. dia. leans N 54 E 9 lbs. dist. 8  
 a Do 14 " " " S 78 W 25 " "  
 Low ridges, good Plough land, Beech, Poplar,  
 Ash & Oak

---

## North between Sec. 16 &amp; 17

9.62 a Branch 12 lbs. wide curve W  
 17.00 wet Bottoms  
 40.00 Set of sec. post from which  
 a Beech 10 in. dia. leans S 12 E 14 lbs. dist. 8  
 a Do 6 " " " N 67 W 13 " "  
 46.00 Swamp to the post -  
 The first 17 lbs. Upland, then wet Bottoms  
 Beech, Maple & Elm

---

## North between Sec. 17 &amp; 18

## T. H. N., R. O. E. L. Mer. Ind. a.

10.50 a Creek 200 lbs. wide course NW

40.00 Set of sec. post from which

a Elm 6 in. dia. bears S 39 E 15 lbs. dist. 8

a Do 8 " " " S 38 W 13 " "

57.25 a W. Oak 22 " "

80.00 Set post cor. of sec. 7, 8, 17 & 18 from which

a Sugar 16 in. dia. bears S 77 E 11 lbs. dist. 8

a Beech 20 " " " N 72 W 13 " "

Bottom, Beech, Oak, Maple, Elm & Gum

Tuesday November 11. 1806

West between Sec. 7 & 18

30.00 a Beech 18 in. dia.

40.00 Set of sec. post from which

a Beech 22 in. dia. bears S 30 E 32 lbs. dist. 8

a Do 18 " " " S 23 W 31 " "

71.50 Intersect W. Boundary 164 lbs. N. of post—

Set post at intersection cor. of sec. 7 & 18 from which

a Poplar 50 in. dia. bears N 38 E 19 lbs. dist. 8

a Beech 16 " " " S 2 W 17 " "

Beech, Poplar, Hickory, Oak & Maple

East on ~~Road~~ between Sec. 8 & 17

34.00 a Creek 200 lbs. wide course S 60 W

40.00 Set of sec. post from which

a Beech 20 in. dia. bears N 20 E 20 lbs. dist. 8

a Do 14 " " " S 32 W 25 " "

46.50 a Pond 60 N

69.00 Swamp

80.00 Set post cor. of sec. 8, 9, 16 & 17 in the Swamp

Wet Bottom, Beech, Maple, Elm, Gum & Ash

West between Sec. 9 & 16

T. H. N., R. C. E. I. Mer. Ind.<sup>a</sup>

20.00 a Branch 10 lbs. wide course N40 W  
 27.00 a Do 6 " " " N  
 40.00 Set g. sec. port from which  
     a Beech 33 in. diam. N11 W29 lbs. dist. 8  
     a Poplar 22 " " " S23 E 19 " "  
 63.00 to the Swamp, which continues to the mile  
     port - Low ridges to the Swamp, Beech, Oak,  
     Hickory, Ash & Poplar.

---

East on Random between Sec. 10 & 15

23.38 a Branch 6 lbs. wide course S50 W  
 40.00 Set temp. g. sec. port  
 46.38 a Branch 12 lbs. wide course S  
 81.00 Intersect N & S. line at port -  
     A little rising, Beech, Poplar, Ash & Oak

---

West blazed between Sec. 10 & 15

40.50 Set g. sec. port at aver. dist. from which  
     a Beech 20 in. diam. N26 W16 lbs. dist. 8  
     a Do 8 " " " S80 E 7 " "  
 81.00 to sec. cor.

---

East on Random between Sec. 11 & 14

39.25 a Branch 10 lbs. wide course S  
 40.00 Set temp. g. sec. port  
 59.00 a Drain course S50 W  
 79.00 Intersect N & S. line at port -  
     Sord, Beech, Ash, Poplar & Oak

---

West connected between Sec. 11 & 14

39.50 Set g. sec. port at aver. dist. from which  
     a Beech 16 in. diam. S44 E19 lbs. dist. 8  
     a Do 12 " " " S38 W21 " "

T. H. N., R. C. O. I. Mer. Ind.<sup>a</sup>

79.00 to sec. cor. Wednesday November 12, 1806

---

East on Random between Sec. 12 & 13

32.00 a Branch 15 lbs. wide course S

40.00 set temp. of sec. port.

40.50 a Creek 200 lbs. wide course S

56.50 a Branch 50 lbs. wide course S

65.00 same " course N 50 W

70.00 same " " S 30 W

74.00 same " " N

80.00 Intersect E. Boundary 50 lbs. N. of port -  
Part Bottoms, Beech, Oak & Maple

---

West Connected between Sec. 12 & 13

40.00 set of sec. port at aver. dist. from which

a Boxelder 8 in. diam bears N 61 W 22 lbs. dist. 8

a Maple 18 " " " N 32 W 36 " "

80.00 to sec. cor.

---

North between Sec. 11 & 12

8.50 a Beech 20 in. dia.

40.00 set of sec. port from which

a Beech 10 in. diam bears S 42 W 15 lbs. dist. 8

a Dr 12 " " " S 45 E 24 " "

61.38 a Gum 33 " "

80.00 set port cor. of Sec. 1, 2, 11 & 12 from which

a Beech 7 in. diam bears N 22 E 15 lbs. dist. 8

a Maple 16 " " " N 77 W 16 " "

Level, part wet, Beech, Gum, Maple,

Hickory & Oak. Thursday, Nov. 13, 1806

---

North between Sec. 10 & 11

8.75 a Branch 10 lbs. wide course W

T. H. N., R. O. E. 2.<sup>o</sup> Mer. Ind.<sup>a</sup>

12.50 a Beech 22 in. dia.

40.00 set of sec. port from which

a Gum 15 in. dia. bears N 9 W 18 lbs. dist. 8

a Beech 14 " " " S 40 E 35 " "

45.50 a Gum 33 " "

46.75 a Branch 20 lbs. wide course NW

80.00 set port cr. of sec. 2, 3, 10 & 11 from which

a Beech 14 in. dia. bears N 55 E 12 lbs. dist. 8

a Do 14 " " " S 49 W 48 " "

Level, Beech, Oak & Poplar

North between Sec. 9 & 10

29.88 a Poplar 50 in. dia.

37.00 6.50 through wet Bottoms

40.00 set of sec. port from which

a Maple 6 in. dia. bears S 82 1/2 E 15 lbs. dist. 8

a Do 7 " " " S 50 1/2 W 23 " "

67.38 a Beech 32 " "

80.00 set port cr. of sec. 3, 4, 9 & 10 from which

a Beech 20 in. dia. bears S 85 E 6 lbs. dist. 8

a Do 32 " " " S 85 W 22 " "

Low ridges, good land, Beech, Poplar & Ash,  
in Bottom Maple

North between Sec. 8 & 9

2.00 in Pond

40.00 set of sec. port from which

a R. Oak 14 in. dia. bears N 25 E 12 lbs. dist. 8

a Maple 12 " " " N 41 W 29 " "

49.29 a W. Oak 18 " "

80.00 set port cr. of sec. 4, 5, 8 & 9 from which

a Maple 14 in. dia. bears N 57 W 12 lbs. dist. 8

an Elm 22 " " " S 40 E 27 " "



T. H. N., R. O. E. L. Mer. Ind.<sup>a</sup>

Level wet Bottom, Maple, Elm, Gum &amp; Ash

North between Sec. 7 &amp; 8

25.00 wet Bottom

40.00 set of sec. post from which

a Beech 10 in. dia bears S 62 E 15<sup>th</sup>. dist. 8

a Do 18 " " " S 78 W 22 " "

65.05 a Do 18 " "

80.00 set post cor. of sec. 5, 6, 7 &amp; 8 from which

a Beech 10 in. dia bears N 66 E 8<sup>th</sup>. dist. 8

a Do 12 " " " S 28 W 20 " "

Low ridges, good Plough land, Beech,  
Poplar, Oak & Ash

West between Sec. 6 &amp; 7

17.12 a Poplar 32 in. dia.

40.00 set of sec. post from which

a Beech 21 in. dia bears N 6 W 30<sup>th</sup>. dist. 8

a Do 8 " " " N 49 W 31 " "

71.68 Intersect W. Boundary 205<sup>th</sup>. N. of post -

set post at intersection cor. of sec. 6 &amp; 7 from which

a Beech 14 in. dia bears N 89 E 17<sup>th</sup>. dist. 8

a Do 10 " " " N 33 E 52 " "

Beech, Poplar, Ash &amp; Oak

Friday, November 14, 1806

North between Sec. 5 &amp; 6

12.50 a Branch 10<sup>th</sup>. wide course N 30 E

18.25 an Ash 16 in. dia.

40.00 set of sec. post from which

a Sugar 12 in. dia bears N 29 W 6<sup>th</sup>. dist. 8

a Beech 8 " " " S 89 E 21 " "

41.25 a Branch 10<sup>th</sup>. wide course E

T. H. N., R. C. E. 2<sup>o</sup> Mer. Ind<sup>a</sup>.

56.25 a Beech 30 in. dia.

75.88 Intersect N. Boundary 538 ft. W. of port -  
 set port at intersection cor. of sec. 5 & 6 from which  
 a Beech 10 in. dia. leans N 28° W 9 ft. dist. &  
 a Sh 10 " " " S 14° E 28 " "  
 Low ridges, Beech, Poplar, Ash & Oak

---

East on Random between Sec. 5 & 8

16.75 a Branch 12 ft. wide course S.

Bottom to the port

31.50 a Creek 200 ft. wide course S 40° W

40.00 set temp. of sec. port

80.12 Intersect N & S line at port -

Beech, Maple, Gum, Elm & Oak

---

West Connected between Sec. 5 & 8

40.06 set of sec. port at aver. dist. from which

a Beech 12 in. dia. leans N 48° E 15 ft. dist. &

a Sh 22 " " " S 44° E 14 " "

80.12 to sec. cor. Friday, November 14, 1806

---

East on Random between Sec. 4 & 9

39.75 a Branch 15 ft. wide

40.00 set temp. of sec. port

80.00 Intersect N & S line at port -

The first 50.00 ft. wet Bottoms, Maple,  
 Gum, Elm & Ash - rest level, Beech,  
 Poplar, Ash & Oak

---

West Blazed between Sec. 4 & 9

40.00 set of sec. port at aver. dist. from which

a Maple 24 in. dia. leans S 85° E 32 ft. dist. &

a Sh 16 " " " S 29° E 19 " "

T.H.N., R.C.E. 2.<sup>d</sup> Mer. Ind.<sup>a</sup>

80.00 to sec. cor.

East on Random between Sep. 3d &amp; 10

40.00 set temp. of sec. port

80.30 Intersect N & S. line 60 Ms. S. of port -  
Beech, Poplar, Oak, Gum & Ash

West Corrected between Sep. 3d &amp; 10

40.15 set of sec. port at aver. dist. from which  
a Beech 12 in. diam. N 39 E 11 Ms. dist. 8  
a Du 10 " " " N 73 W 25 " "

80.30 to sec. cor.

East on Random between Sep. 2d &amp; 11

10.00 a Branch 10 Ms. wide course S 50 W

40.00 set temp. of sec. port

43.00 a Branch 8 Ms. wide course S 40 W

80.00 Intersect N & S. line at port -  
Upland Beech, Poplar & Oak

West Corrected between Sep. 2d &amp; 11

40.00 set of sec. port at aver. dist. from which  
an Elm 10 in. diam. N 80 W 7 Ms. dist. 8  
a Beech 30 " " " S 38 E 20 " "

80.00 to sec. cor.

East on Random between Sep. 1d &amp; 12

40.00 set temp. of sec. port

80.50 Intersect E. Boundary 40 Ms. S. of port -

Level, part wet, Beech, Maple, Gum, Ash, Elm,  
Poplar & Oak

West Corrected between Sep. 1d &amp; 12

T. 4 N., R. 6 E., 2<sup>d</sup>. Mer. Ind.<sup>a</sup>

40.25 set of sec. port at aver. dist. from which  
 a W. Oak 16 in. diam bears S 47° W 20 lbs. dist. 8  
 a Beech 12 " " " S 21° E 22 " "  
 80.50 to sec. cor.

## North between Sec. 1 &amp; 2

28.88 a W. Oak 22 in. diam.  
 40.00 set of sec. port from which  
 a Beech 13 in. diam bears N 36° W 31 lbs. dist. 8  
 a Do 9 " " " S 12° W 14 " "  
 47.38 a W. Oak 36 " "  
 80.70 Intersect N. Boundary 92 lbs. W. of port—  
 set port at intersection cor. of Sec. 1 & 2 from which  
 a Poplar 24 in. diam bears S 66° E 17 lbs. dist. 8  
 a Beech 27 " " " S 44° W 22 " "  
 Level, part wet, Beech, Poplar, Gum & Oak

## North between Sec. 2 &amp; 3

16.28 a W. Oak 22 in. diam.  
 40.00 set of sec. port from which  
 a Poplar 24 in. diam. bears N 44° E 6 lbs. dist. 8  
 a Do 16 " " " S 29° W 12 " "  
 66.88 a Branch 6 lbs. wide course NW  
 80.00 Intersect N. Boundary 175 lbs. W. of port—  
 set port at intersection cor. of Sec. 2 & 3 from which  
 an Elm 13 in. diam bears S 7° E 32 lbs. dist. 8  
 a Birch 16 " " " S 26° W 33 " "  
 Low ridges, Beech, Poplar & Ash—the last  
 10.00 Ch. wet Bottom

## North between Sec. 3 &amp; 4

30.00 20.00 wet Bottom  
 40.00 set of sec. port from which

T. H. N., R. O. E. 2<sup>d</sup>. Mer. Ind<sup>a</sup>.

a Maple 10 in. dia. bears N 46 E 10 lbs. dist. 8

a Do 6 " " " N 46 W 13 " "

62.62 a B. Walnut 22 in. dia.

78.65 Intersect N. Boundary 394 lbs. W. of post -  
 set post at intersection cor. of sec. 3 & 4 from which  
 a Beech 18 in. dia. bears N 88 E 13 lbs. dist. 8  
 a Do 18 " " " S 60 W 37 " "  
 Low ridges, Beech, Poplar & Oak

North between Sec. 4 & 5

15.75 an Ash 18 in. dia.

40.00 set of sec. post from which  
 a Maple 10 in. dia. bears S 71 W 6 lbs. dist. 8  
 a Do 10 " " " S 27 E 19 " "

67.00 a Gum 30 " "

76.88 Intersect N. Boundary 397 lbs. W. of post -  
 set post at intersection cor. of sec. 4 & 5 from which  
 a Beech 10 in. dia. bears S 27 E 19 lbs. dist. 8  
 a Do 10 " " " N 72 W 15 " "

Wet bottom, Gum, Maple, Ash & Oak

Saturday November 15. 1806

Surveyed by Jacob Fowler

Dep. Surveyor.



I certify that the foregoing transcript of Field Notes of the survey of Township N. 4 North, in Range N. 6 East of the 2<sup>d</sup> Principal Meridian, in the State of Indiana, has been compared with the original on file in this office and found to be correct.

Surveyor General's Office,  
Cincinnati, March 24. 1842

J. D. Rains  
Sur. Genl.